

# Small Vehicle Wheel Force Transducer, 6-Axis

## Model LW9.5

- 8000 lb (35.6 kN) radial load capacity
- 4000 lb (17.8 kN) lateral load capacity
- Measures 3 forces and 3 moments
- Measures X & Z accelerations
- Adapts to 10" and larger wheels
- Low cross axis sensitivity
- Environmentally protected
- Temperature compensated
- Rugged stainless steel construction



## Description

The LW9.5 Wheel Force Transducer (WFT) is capable of measuring all of the wheel forces and moments on ATV's, utility and other lightweight vehicles. It provides independent output signals for vertical, lateral, and longitudinal forces as well as camber, steer and torque moments. It is completely weatherproof, making it ideal for off-road measurements. It can also be used to monitor and control laboratory tests.

The matching amplifier package easily mounts onto the transducer. It amplifies and digitizes the transducer signals before they pass through the slip ring. The amplifier package also includes X and Z acceleration outputs and performs remote shunt calibration of the transducer.

The CT2 Transducer Interface Box performs real-time coordinate transformation and cross-talk compensation, and outputs analog, CAN, and Ethernet signals. An embedded web page allows the user to configure the WFT system.

## Specifications

Maximum Force Capacity, [Fx, Fz] (radial)	8,000 lb. (35.6 kN)
[Fy] (lateral) at Tire Patch	4,000 lb. (17.8 kN)
Maximum Torque Capacity [Mx, My, Mz]	4,000 lb-ft. (5.4 kN-m)
Accelerometer range	+ 55g
Sensor	4 arm strain gage bridges
Nonlinearity	<1% of full scale output
Hysteresis	<0.5% of full scale output
Repeatability	Within 0.5% of full scale output
Cross Axis Sensitivity after correction	<1% of full scale output
Temperature Range, Operating	-40°F to 257°F (-40°C to 125°C)
Radial Sensitivity Variation	<1% of full scale output
Angular Resolution	0.17°



+33 (0)1 46 91 93 32

Capteurs et Systèmes de mesure

59, rue Émile Deschanel - 92400 COURBEVOIE - France - Fax : 33 (0)1 46 91 93 39 - contact@pm-instrumentation.com

8500 Ance Road  
Charlevoix, MI 49720  
Tel: 231-547-5511  
Fax: 231-547-7070

**MICHIGAN SCIENTIFIC**  
corporation  
<http://www.michsci.com>  
Email: [mcsinfo@michsci.com](mailto:mcsinfo@michsci.com)

321 East Huron Street  
Milford, MI 48381  
Tel: 248-685-3939  
Fax: 248-684-5406

6/16/13

Rev. A

